

Lecture 10. Functors and monads

Functional Programming



Universiteit Utrecht

[Faculty of Science
Information and Computing
Sciences]

Goals

- ▶ Understand the concept of **higher-kinded** abstraction
- ▶ Introduce two common patterns: **functors** and **monads**
- ▶ Simplify code with monads

Chapter 12 from Hutton's book, except 12.2



Functors



Universiteit Utrecht

[Faculty of Science
Information and Computing
Sciences]

Map over lists

`map f xs` applies `f` over all the elements of the list `xs`

```
map :: (a -> b) -> [a] -> [b]
```

```
map _ []      = []
```

```
map f (x:xs) = f x : map f xs
```

```
> map (+1) [1,2,3]
```

```
[2,3,4]
```

```
> map even [1,2,3]
```

```
[False,True,False]
```



Map over optional values

Optional values are represented with Maybe

```
data Maybe a = Nothing | Just a
```

They admit a similar map operation:

```
mapMay :: (a -> b) -> Maybe a -> Maybe b
```



Map over optional values

Optional values are represented with Maybe

```
data Maybe a = Nothing | Just a
```

They admit a similar map operation:

```
mapMay :: (a -> b) -> Maybe a -> Maybe b
```

```
mapMay _ Nothing = Nothing
```

```
mapMay f (Just x) = Just (f x)
```



Map over optional values

mapMay applies a function over a value, only if it is present

```
> mapMay (+1) (Just 1)
```

```
Just 2
```

```
> mapMay (+1) Nothing
```

```
Nothing
```

It is similar to the “safe dot” operator in some languages

```
int Total(Order o) { // o might be null  
    return o?.Amount * o?.PricePerUnit;  
}
```



Map over binary trees

Remember binary trees with data in the inner nodes:

```
data Tree a = Leaf
             | Node (Tree a) a (Tree a)
  deriving Show
```

What does a map operation over trees look like?



Map over binary trees

Remember binary trees with data in the inner nodes:

```
data Tree a = Leaf
            | Node (Tree a) a (Tree a)
  deriving Show
```

What does a map operation over trees look like?

```
mapTree :: (a -> b) -> Tree a -> Tree b
```



Map over binary trees

Remember binary trees with data in the inner nodes:

```
data Tree a = Leaf
            | Node (Tree a) a (Tree a)
            deriving Show
```

What does a map operation over trees look like?

```
mapTree :: (a -> b) -> Tree a -> Tree b
```

```
mapTree _ Leaf
    = Leaf
```

```
mapTree f (Node l x r)
    = Node (mapTree f l) (f x) (mapTree f r)
```



Map over binary trees

mapTree also applies a function over all elements, but now contained in a binary tree

```
> t = Node (Node Leaf 1 Leaf) 2 Leaf
```

```
> mapTree (+1) t  
Node (Node Leaf 2 Leaf) 3 Leaf
```

```
> mapTree even t  
Node (Node Leaf False Leaf) True Leaf
```



Maps have similar types

```
map      :: (a -> b) -> [a]      -> [b]
          -- (a -> b) -> List a -> List b
mapTree  :: (a -> b) -> Tree a -> Tree b
mapMay   :: (a -> b) -> Maybe a -> Maybe b

mapT     :: (a -> b) -> T a -> T b
```

The difference lies in the **type constructor**

- ▶ [] (list), Tree, or Maybe
- ▶ Those parts need to be applied to other types



Functors

A type **constructor** which has a “map” is called a functor

```
class Functor f where
    fmap :: (a -> b) -> f a -> f b

instance Functor [] where
    -- fmap :: (a -> b) -> [a] -> [b]
    fmap = map

instance Functor Maybe where
    -- fmap :: (a -> b) -> Maybe a -> Maybe b
    fmap = mapMay
```



Higher-kinded abstraction

```
class Functor f where  
  fmap :: (a -> b) -> f a -> f b
```

- ▶ In `Functor` the variable `f` stands for a type constructor
 - ▶ A “type” which needs to be applied
- ▶ This is called higher-kinded abstraction
 - ▶ Not generally available in a programming language
 - ▶ Haskell, Scala and Rust have it
 - ▶ Java, C# and Swift don’t



Functors generalize maps

Suppose you have a function operating over lists

```
inc :: [Int] -> [Int]
inc xs = map (+1) xs
```

You can easily generalize it by using fmap

```
inc :: Functor f => f Int -> f Int
inc xs = fmap (+1) xs
```

Note that in this case the type of **elements** is fixed to Int, but the type of the **structure** may vary



`(<$>)` instead of `fmap`

Many Haskellers use an alias for `fmap`

`(<$>) = fmap`

This allows writing maps in a more natural style, in which the function to apply appears before the arguments

`inc xs = (+1) <$> xs`



Surprising functors, take 1

Functions with a fixed input are also functors

- Remember that $r \rightarrow s$ is also written $(\rightarrow) r s$

Question

What type should we write in the `Functor` instance?



Surprising functors, take 1

Functions with a fixed input are also functors

- ▶ Remember that $r \rightarrow s$ is also written $(\rightarrow) r s$

Question

What type should we write in the `Functor` instance?

Answer

We need something which requires a parameter

- ▶ Thus we drop the last one from the arrow, $(\rightarrow) r$



Surprising functors, take 1

```
instance Functor ((->) r) where
  -- fmap :: (a -> b) -> (r -> a) -> (r -> b)
  fmap ab ra = \r -> ab (ra r)
```

The map operation for functions is composition!



Surprising functors, take 2

IO actions form also a functor

```
instance Functor IO where
```

```
...
```



Surprising functors, take 2

IO actions form also a functor

```
instance Functor IO where
  -- fmap :: (a -> b) -> IO a -> IO b
  fmap f a = do x <- a
               return (f x)
```

This removes the need for a lot of names

```
do x <- getChar      ==> toUpper <$> getChar
  return (toUpper x)
```

and it is much easier to read and follow!



Functor laws

Valid `Functor` instances should obey two laws

identity	<code>fmap id = id</code>
distributivity over composition	<code>fmap (f.g) = fmap f . fmap g</code>

These laws guarantee that `fmap` preserves the structure



A wrong Functor

Could you find an instance which respects the type of `fmap` but not the laws?



A wrong Functor

Could you find an instance which respects the type of `fmap` but not the laws?

```
instance Functor [] where
  -- Applies the function over all elements,
  -- but also reverses the list
  fmap _ []      = []
  fmap f (x:xs) = fmap f xs ++ [f x]
```



A wrong Functor

Could you find an instance which respects the type of `fmap` but not the laws?

```
instance Functor [] where
  -- Applies the function over all elements,
  -- but also reverses the list
  fmap _ []      = []
  fmap f (x:xs) = fmap f xs ++ [f x]
fmap id [1,2]   = [2,1]
                /= [1,2] = id [1,2]
```



Another wrong Functor

Things can go wrong in many different ways

```
instance Functor [] where
  -- Always returns an empty list
  fmap _ _ = []

fmap id [1,2] = []
              /= [1,2] = id [1,2]
```



Monads



Universiteit Utrecht

[Faculty of Science
Information and Computing
Sciences]

Case study: evaluation of arithmetic expressions

```
data ArithOp    = Plus | Minus | Times | Div
data ArithExpr  = Constant Integer
                | Variable Char
                | Op ArithOp ArithExpr ArithExpr
```



Case study: evaluation of arithmetic expressions

```
data ArithOp    = Plus | Minus | Times | Div
data ArithExpr = Constant Integer
               | Variable Char
               | Op ArithOp ArithExpr ArithExpr

eval :: Map Char Integer -> ArithExpr
      -> Maybe Integer
```



Case study: evaluation of arithmetic expressions

```
data ArithOp    = Plus | Minus | Times | Div
data ArithExpr = Constant Integer
               | Variable Char
               | Op ArithOp ArithExpr ArithExpr
```

```
eval :: Map Char Integer -> ArithExpr
      -> Maybe Integer
```

```
eval m (Op Plus x y)
  = case eval m x of
      Nothing -> Nothing
      Just x'  -> case eval m y of
                    Nothing -> Nothing
                    Just y'  -> Just (x' + y')
```

...



Validation of data

```
data Record = Record Name Int Address

-- These three validate input from the user
validateName :: String -> Maybe Name
validateAge  :: String -> Maybe Int
validateAddr :: String -> Maybe Address

-- And we want to compose them together
case validateName nm of
  Nothing -> Nothing
  Just nm' -> case validateAge ag of
    Nothing -> Nothing
    Just ag' -> case validateAddr ad of
      Nothing -> Nothing
      Just ad' -> Just (Record nm' ag' ad')
```



Looking for similarities

The same pattern occurs over and over again

```
case maybeValue of
  Nothing -> Nothing
  Just x   -> -- return some Maybe which uses x
```



Looking for similarities

The same pattern occurs over and over again

```
case maybeValue of
  Nothing -> Nothing
  Just x   -> -- return some Maybe which uses x
```

Higher-order functions to the rescue!

```
next :: Maybe a -> (a -> Maybe b) -> Maybe b
next Nothing _ = Nothing
next (Just x) f = f x
```



Shorter code for the examples

For the arithmetic expression evaluator:

```
eval m (Op Plus x y)
  = eval m x `next` (\x' ->
    eval m y `next` (\y' ->
      Just (x' + y') ) )
```

For data validation:

```
validateName nm `next` (\nm' ->
  validateAge ag `next` (\ag' ->
    validateAddr ad `next` (\ad' ->
      Just (Record nm' ag' ad') )))
```



Does it sound familiar?

Remember the “bind” operation for input/output actions

$(\gg=) :: \text{IO} \quad a \rightarrow (a \rightarrow \text{IO} \quad b) \rightarrow \text{IO} \quad b$

Now, compare it to the `next` operation for `Maybe`

$\text{next} :: \text{Maybe} \quad a \rightarrow (a \rightarrow \text{Maybe} \quad b) \rightarrow \text{Maybe} \quad b$

Another example of higher-kinded abstraction



return for optional values

The other basic operation for IO was `return`

```
return :: a -> IO a
```

This function embeds a pure value into the IO world



return for optional values

The other basic operation for IO was `return`

```
return :: a -> IO a
```

This function embeds a pure value into the IO world

Optional values provide a similar function

```
Just   :: a -> Maybe a
```



return for optional values

The other basic operation for IO was `return`

```
return :: a -> IO a
```

This function embeds a pure value into the IO world

Optional values provide a similar function

```
Just   :: a -> Maybe a
```

Maybe it is about time to introduce a new type class...



`(>>=)` + `return` = monad

A monad is a type constructor which provides the previous two operations

- ▶ Subject to some laws that we shall introduce later
- ▶ In addition, every monad is also a functor

```
class Functor m => Monad m where
  return :: a -> m a
  (>>=)  :: m a -> (a -> m b) -> m b
```

```
instance Monad Maybe where
  return = Just
  (>>=)  = next
```

```
instance Monad IO where
  -- Hidden from us, mere mortals
```



do-notation for generic monads

The `do`-notation introduced for IO works for any monad

<code>do</code>	<code>x1 <- a1</code>		<code>a1 >>= (\x1 -></code>
	<code>x2 <- a2</code>		<code>a2 >>= (\x2 -></code>
	<code>...</code>	<code>==></code>	<code>...</code>
	<code>xn <- an</code>		<code>an >>= (\xn -></code>
	<code>expr</code>		<code>expr) ...))</code>

Rule of thumb for writing monadic code: do not think about nested `(>>=)` at all, just use `do`



Shorter (and nicer) code for the examples

For the arithmetic expression evaluator:

```
eval m (Op Plus x y) = do x' <- eval m x
                          y' <- eval m y
                          return (x' + y')
```

For data validation:

```
do nm' <- validateName nm
   ag' <- validateAge  ag
   ad' <- validateAddr ad
   return (Record nm' ag' ad')
```



Tricky monadic questions

What does the following code do?

```
f :: Maybe Int -> Maybe Int
f m = do x <- m
        return 3
        return (x + 1)
```



Tricky monadic questions

What does the following code do?

```
f :: Maybe Int -> Maybe Int
f m = do x <- m
        return 3
        return (x + 1)
```

Solution

Adds 1 to the value in `m`, if present

- ▶ `return` does not break evaluation
- ▶ So it does not always return 3



Tricky monadic questions

```
f :: Maybe Int -> Maybe Int
f m = do x <- m
      return 3
      return (x + 1)
```

The behavior is clear by looking at the translation

- ▶ <- are turned into nested (>>=)
- ▶ return for Maybe is Just

```
f m = m >>= \x ->
      Just 3 >>= \_ ->  -- "gets" the 3
      Just (x + 1)
```



Tricky monadic questions

Is the following code type correct at all?

```
g :: Maybe Int -> Maybe Int
g m = do x <- return 3
        y <- m
        return (x + y)
```



Tricky monadic questions

Is the following code type correct at all?

```
g :: Maybe Int -> Maybe Int
g m = do x <- return 3
        y <- m
        return (x + y)
```

And what about the following variation?

```
g' :: Maybe Int -> Maybe Int
g' m = do x <- Just 3
        y <- m
        return (x + y)
```



Tricky monadic questions

Does this code compile?

```
h :: Maybe Int -> IO Int -> Maybe Int
h x y = do x' <- x
          y' <- y
          return (x' + y')
```



Tricky monadic questions

Does this code compile?

```
h :: Maybe Int -> IO Int -> Maybe Int
h x y = do x' <- x
          y' <- y
          return (x' + y')
```

Solution

No, a `do` block works only with **one** monad

- ▶ The first `<-` and `return` require `Maybe`
- ▶ The second `<-` requires `IO`



The List monad



Building the `Monad []` instance

Let us try to write the methods from their types

```
return :: a -> [a]  
return x = _
```



Building the `Monad []` instance

Let us try to write the methods from their types

```
return :: a -> [a]  
return x = _
```

We only have two options:

- ▶ Return the empty list, `[]`
- ▶ Return the given element repeated some amount of times, `[x, ...]`

In this case, we settle for `[x]`, a singleton list

- ▶ It is the only possibility to satisfy the laws
 - ▶ But I will not show you why



Building the `Monad []` instance

```
(>>=) :: [a] -> (a -> [b]) -> [b]  
xs >>= f = ...
```



Building the `Monad []` instance

```
(>>=) :: [a] -> (a -> [b]) -> [b]  
xs >>= f = ...
```

1. We have a list of `as` and a function which operate in one
▶ The natural instinct is to map one over the other
2. But `map f xs :: [[b]]`, a list of lists
3. Luckily, we have `concat :: [[a]] -> [a]`

```
xs >>= f = concat (map f xs)
```



What does the List monad model?

```
[1,2,3] >>= \x ->      do x <- [1,2,3]
  [4,5,6] >>= \y ->      y <- [4,5,6]
    return (x + y)        return (x + y)
= -- definition of (>>=) and return
  [5,6,7,6,7,8,7,8,9]
=
  [1+4,1+5,1+6,2+4,2+5,2+6,3+4,3+5,3+6]
```



Lists model search and non-determinism

```
[1,2,3] >>= \x ->      do x <- [1,2,3]
  [4,5,6] >>= \y ->      y <- [4,5,6]
    return (x + y)        return (x + y)
= -- definition of (>>=) and return
[5,6,7,6,7,8,7,8,9]
=
[1+4,1+5,1+6,2+4,2+5,2+6,3+4,3+5,3+6]
```

The list monad applies the function over all choices of elements from each list

- ▶ For that reason we call `[]` the search monad
- ▶ Each variable can be thought as having more than one value assigned to it
 - ▶ This is called non-determinism



Case study: sum and Pythagorean triples

Given three numbers x, y, z , we say that they form

- ▶ A **sum triple** if $x + y = z$
- ▶ A **Pythagorean triple** if $x^2 + y^2 = z^2$

`triples xs` computes, given a list of numbers `xs`, those subsets of elements which form a triple

```
> triples [1,2,3]  
[(1,2,3), (2,1,3)]
```

We are going to build it using the monadic interface to lists



Cooking sumTriple

A first approximation to sum triples is:

```
sumTriples xs = do x <- xs
                  y <- xs
                  z <- xs
                  if x + y == z
                    then return (x,y,z)
                    else []
```

The value [] denotes failure while searching

- No value is produced from ranging over an empty list

```
[] >>= f = [] = xs >>= \_ -> []
```



Introducing guard

This pattern is very common to perform search

```
guard :: Bool -> [()]  
guard True  = [()]  
guard False = []
```

We do not really care of the value returned by guard

- The important bit is that when the condition is false, we produce no more results

```
sumTriples xs = do x <- xs  
                   y <- xs  
                   z <- xs  
                   guard (x + y == z)  
                   return (x,y,z)
```



Cooking triples

Assuming we have `sumTriples` and `pytTriples`

```
triples :: [Int] -> [(Int, Int, Int)]  
triples xs = sumTriples xs ++ pytTriples xs
```

Concatenation combines solutions from multiple sources

- ▶ In a search, it works as a disjunction



Monads with failure

Other monads exhibit the same pattern of failure and combination of results

```
class Monad m => MonadPlus m where
  mzero :: m a
  mplus :: m a -> m a -> m a
```



Monads with failure

Other monads exhibit the same pattern of failure and combination of results

```
class Monad m => MonadPlus m where
  mzero :: m a
  mplus :: m a -> m a -> m a
```

The simplest case is Maybe: try to implement `mzero` and `mplus`!



Monads with failure

Other monads exhibit the same pattern of failure and combination of results

```
class Monad m => MonadPlus m where
  mzero :: m a
  mplus :: m a -> m a -> m a
```

The simplest case is Maybe, with Nothing representing failure

```
instance MonadPlus Maybe where
  mzero = Nothing
  mplus (Just x) _      = Just x
  mplus _      (Just y) = Just y
  mplus Nothing Nothing = Nothing
```



do versus comprehensions

If I had told you to write `sumTriples` without imposing monadic notation, the result would have been

<code>do</code>	<code>x <- xs</code>	<code>[(x,y,z)</code>
	<code>y <- xs</code>	<code> x <- xs</code>
	<code>z <- xs</code>	<code>, y <- xs</code>
	<code>guard (x + y == z)</code>	<code>, z <- xs</code>
	<code>return (x,y,z)</code>	<code>, x + y == z]</code>

do-notation and comprehensions are exactly the same!

- ▶ GHC provides **monad comprehensions** under a flag
- ▶ Other languages, such as Scala, only provide comprehensions for working with monads



Summary

- ▶ With higher-order functions and higher-kinded abstraction many patterns become mere functions
 - ▶ Higher-kinded abstraction refers to making a type constructor vary, in contrast to “full” types
- ▶ Functor generalizes the idea of “map”
- ▶ Monads encode the notion of “sequential computation”

Later in the course

- ▶ More examples of monads
- ▶ Utility functions for monads
- ▶ Another abstraction: applicatives

